

XX

, 16. - 17.12.2015

16
17.12.2015 - 10:26

, 50m

III : 1:06.00 / II : 56.00 / I : 46.00 / III : 39.50 /
II : 36.00 / I : 32.70 / 10 +: 30.80 / 12 +: 29.30 /
14 +: 27.62

: FINA 2015

FINA

1.		02	" -1"	32.45	555	1
2.		02	-2	33.13	521	2
3.		04	4	34.98	443	2
4.		02	" -2"	36.42	392	3
5.		02	" "	36.52	389	3
6.		02	" "	37.49	360	3
7.		02	-1	38.20	340	3
8.		02		38.53	331	3
9.		03	-2	40.05	295	1
10.		02	" "	40.10	294	1
11.		03	" "	40.34	288	1
12.		04	-1	42.20	252	1
13.		03	" "	42.49	247	1
14.		04	" "	42.73	243	1
15.		05	-1	43.03	238	1
16.		05	-1	43.61	228	1
17.		03	" "	43.88	224	1
18.		04		44.48	215	1
19.		04		44.53	214	1
20.		05	" -1"	44.69	212	1
21.		04	" "	44.76	211	1
22.		05	" "	44.83	210	1
23.		05		46.25	191	2
24.		04	" "	46.47	189	2
25.		04	" "	46.98	182	2
26.		05	" "	47.06	182	2
27.		05		48.67	164	2
28.		05		48.70	164	2
29.		05	" "	50.12	150	2
30.		05	" -2"	51.14	141	2
31.		05	" " " "	51.38	139	2
32.		04		52.19	133	2
33.		05	" "	55.48	111	2

XX

, 16. - 17.12.2015

16, , 50m

2002				
1.	,	02	" -1"	32.45 555 1
2.	,	02	-2	33.13 521 2
3.	,	02	" -2"	36.42 392 3
4.	,	02	" "	36.52 389 3
5.	,	02	" "	37.49 360 3
6.	,	02	-1	38.20 340 3
7.	,	02		38.53 331 3
8.	,	02	" "	40.10 294 1
2003				
1.	,	03	-2	40.05 295 1
2.	,	03	" "	40.34 288 1
3.	,	03	" "	42.49 247 1
4.	,	03	" "	43.88 224 1
2004				
1.	,	04	4	34.98 443 2
2.	,	04	-1	42.20 252 1
3.	,	04	" "	42.73 243 1
4.	,	04		44.48 215 1
5.	,	04		44.53 214 1
6.	,	04	" "	44.76 211 1
7.	,	04	" "	46.47 189 2
8.	,	04	" "	46.98 182 2
9.	,	04		52.19 133 2
2005				
1.	,	05	-1	43.03 238 1
2.	,	05	-1	43.61 228 1
3.	,	05	" -1"	44.69 212 1
4.	,	05	" "	44.83 210 1
5.	,	05		46.25 191 2
6.	,	05	" "	47.06 182 2
7.	,	05		48.67 164 2
8.	,	05		48.70 164 2
9.	,	05	" "	50.12 150 2
10.	,	05	" -2"	51.14 141 2
11.	,	05	" " " "	51.38 139 2
12.	,	05	" " " "	55.48 111 2

XX

" "

, 16. - 17.12.2015

16, , 50m

EXH	,	05	"	"	55.92	108	2
EXH	,	05	"	"	51.47	139	2
EXH	,	04	"	"	56.54	104	3
EXH	,	05	"	"	58.26	95	3
EXH	,	04	"	"	54.11	119	2
EXH	,	02	"	"	34.82	449	2
EXH	,	01	"	"	36.03	405	3
EXH	,	01	"	"	36.59	387	3
EXH	,	04	"	"	42.54	246	1
EXH	,	04	"	"	49.02	161	2
EXH	,	04	"	"	48.04	171	2
EXH	,	04	"	"	44.83	210	1
EXH	,	03	"	"	41.07	273	1
EXH	,	03	"	"	41.30	269	1
EXH	,	04	"	"	45.89	196	1
EXH	,	03	"	"	43.31	233	1
EXH	,	02	"	"	45.08	207	1
EXH	,	03	"	-2"	41.25	270	1
EXH	,	03	"	"	42.51	246	1
EXH	,	02	"	"	40.82	278	1
EXH	,	03	"	"	51.72	137	2
EXH	,	03	"	"	44.62	213	1
EXH	,	03	"	"	42.34	249	1
EXH	,	03	"	-1"	38.50	332	3
EXH	,	03	"	"	36.75	382	3
EXH	,	05	"	"	48.86	162	2